

# Safety Data Sheet

according to WHS Regulations

Printing date 07.06.2019

Revision: 07.06.2019

## 1 Identification

**Product Name:** 9H-LDC LIGHT

**Other Means of Identification:** Mixture

**Recommended Use of the Chemical and Restriction on Use:** Professional use only.

**Details of Manufacturer or Importer:**

Always Dry  
 13/48 Hutchinson street  
 Burleigh Heads  
 Queensland 4226

**Phone Number:** 1300 761 617

**Emergency telephone number:** 1300 761 617

## 2 Hazard(s) Identification

**Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Serious Eye Damage/Irritation 2A H319 Causes serious eye irritation.

**Signal Word** Warning

**Hazard Statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Precautionary Statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Hazardous Components:**

CAS: 22984-54-9	2-Butanone, O,O',O''-(methylsilylidyne)trioxime Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332; Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	10 - 15%
CAS: 1760-24-3	1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]- Serious Eye Damage/Irritation 1, H318;  Skin Corrosion/Irritation 2, H315; Skin Sensitisation 1, H317	<1%

(Contd. on page 2)

# Safety Data Sheet

## according to WHS Regulations

Printing date 07.06.2019

Revision: 07.06.2019

**Product Name: 9H-LDC LIGHT**

(Contd. of page 1)

### 4 First Aid Measures

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

**Eye Contact:**

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms occur.

**Ingestion:**

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

**Symptoms Caused by Exposure:**

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. May cause an allergic reaction in some people.

Eye Contact: Causes serious eye irritation.

Ingestion: May be harmful if swallowed.

### 5 Fire Fighting Measures

**Suitable Extinguishing Media:**

Use fire extinguishing methods suitable to surrounding conditions. Do not use full water jet as it may spread the fire.

**Specific Hazards Arising from the Chemical:**

Hazardous combustion products include oxides of carbon, nitrogen and tin, other nitrogen compounds and formaldehyde.

Product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

### 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 07.06.2019

Revision: 07.06.2019

**Product Name: 9H-LDC LIGHT**

(Contd. of page 2)

other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

### 8 Exposure Controls and Personal Protection

**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Engineering Controls:** Ensure adequate ventilation of the working area.

**Respiratory Protection:**

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

### 9 Physical and Chemical Properties

**Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Translucent
<b>Odour:</b>	Characteristic
<b>Odour Threshold:</b>	No information available
<b>pH-Value:</b>	No information available
<b>Melting point/freezing point:</b>	No information available
<b>Initial Boiling Point/Boiling Range:</b>	No information available
<b>Flash Point:</b>	>135 °C
<b>Flammability:</b>	Product is not flammable.
<b>Auto-ignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	>150 °C
<b>Explosion Limits:</b>	
<b>Lower:</b>	No information available
<b>Upper:</b>	No information available
<b>Vapour Pressure:</b>	No information available
<b>Relative Density:</b>	1.1
<b>Vapour Density:</b>	No information available
<b>Evaporation Rate:</b>	No information available
<b>Solubility in Water:</b>	No information available

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Printing date 07.06.2019

Revision: 07.06.2019

**Product Name: 9H-LDC LIGHT**

(Contd. of page 3)

**VOC:** <1 %**Solids content:** 0.0 %

## 10 Stability and Reactivity

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.**Conditions to Avoid:** Heat, sparks, open flames, hot surfaces and direct sunlight.**Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.**Hazardous Decomposition Products:**

Oxides of carbon, nitrogen and tin, other nitrogen compounds and formaldehyde.

## 11 Toxicological Information

**Toxicity:****Acute Health Effects****Inhalation:** May cause respiratory irritation.**Skin:** Causes skin irritation. May cause an allergic reaction in some people.**Eye:** Causes serious eye irritation.**Ingestion:** May be harmful if swallowed.**Skin Corrosion / Irritation:** Causes skin irritation.**Serious Eye Damage / Irritation:** Causes serious eye irritation.**Respiratory or Skin Sensitisation:** Based on available data, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

## 12 Ecological Information

**Ecotoxicity:****Aquatic toxicity:****CAS: 1760-24-3 1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-**EC<sub>0</sub>/48 h <63 mg/l (daphnia) (OECD 202)EC<sub>50</sub>/48 h 90 mg/l (daphnia) (OECD 202)EC<sub>50</sub>/72 h 5.5 mg/l (selenastrum capricornutum)LC<sub>50</sub>/96 h 213 mg/l (fish) (EPA 660/3-75/009)

(Contd. on page 5)

# Safety Data Sheet

## according to WHS Regulations

Printing date 07.06.2019

Revision: 07.06.2019

**Product Name: 9H-LDC LIGHT**

(Contd. of page 4)

**Persistence and Degradability:** No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

### 14 Transport Information

**UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

### 15 Regulatory Information

**Australian Inventory of Chemical Substances:**

CAS: 22984-54-9 2-Butanone, O,O',O''-(methylsilylidyne)trioxime

CAS: 1760-24-3 1,2-Ethanediamine, N-[3-(trimethoxysilyl)propyl]-

CAS: 77-58-7 Dibutyltin dilaurate

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**

Not Scheduled.

### 16 Other Information

**Date of Preparation or Last Revision:** 07.06.2019**Prepared by:** MSDS.COM.AU Pty Ltd

www.msds.com.au

**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Always Dry makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the

(Contd. on page 6)

**Safety Data Sheet**  
according to WHS Regulations

Printing date 07.06.2019

Revision: 07.06.2019

**Product Name: 9H-LDC LIGHT**

(Contd. of page 5)

suitability of the information provided to the particular circumstances in which the product is used.