

according to WHS Regulations

Printing date 07.06.2019 Revision: 07.06.2019

1 Identification

Product Name: 9H-LDC PRO

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Professional use.

Details of Manufacturer or Importer:

Always Dry

13/48 Hutchinson street

Burleigh Heads Queensland 4226

Phone Number: 1300 761 617

Emergency telephone number: 1300 761 617

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.

Flammable Liquids 4 H227 Combustible liquid.

Signal Word Danger

Hazard Statements

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

Precautionary Statements

P210 Keep away from flames and hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use to extinguish: CO2, powder or water spray.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

Printing date 07.06.2019 Revision: 07.06.2019

Product Name: 9H-LDC PRO

(Contd. of page 1)

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause central nervous system depression, dizziness, drowsiness, numbness, headaches, vomiting and narcosis.

Skin Contact: May cause skin irritation, redness and swelling.

Eye Contact: May cause eye irritation.

Ingestion: May be fatal if swallowed and enters airways.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Alcohol-resistant foam, dry chemical powder or carbon dioxide. Water may be ineffective. Do not use full water jet as it may spread the fire.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and hydrocarbons.

Combustible liquid.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Do not use combustible absorbents such as sawdust or cellulose. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

(Contd. on page 3)

according to WHS Regulations

Printing date 07.06.2019 Revision: 07.06.2019

Product Name: 9H-LDC PRO

(Contd. of page 2)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Liquid
Colour: Colourless
Odour: Characteristic

Odour Threshold:

pH-Value:

No information available

No information available

Melting point/freezing point: -25 °C

Initial Boiling Point/Boiling Range: No information available

Flash Point: 68 °C
Flammability: Combustible
Auto-ignition Temperature: 275 °C

Decomposition Temperature: No information available

Explosion Limits:

Lower: No information available Upper: No information available

Vapour Pressure at 20 °C: 13 hPa **Relative Density:** 0.88

Vapour Density: >2.52 (Air = 1)

Evaporation Rate: 1.4
Solubility in Water: Inmiscible

Partition Coefficient (n-octanol/water): No information available

(Contd. on page 4)

according to WHS Regulations

Printing date 07.06.2019 Revision: 07.06.2019

Product Name: 9H-LDC PRO

(Contd. of page 3)

Viscosity: No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight. **Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products: Oxides of carbon and hydrocarbons.

11 Toxicological Information

Toxicity:

LD ₅₀ /LC ₅₀ Values Relevant for Classification:		
CAS: 64742-47-8 Distillates (petroleum), hydrotreated light		
Oral	LD ₅₀	>5,000 mg/kg (rat)
Dermal	LD ₅₀	>2,000 mg/kg (rabbit)
Inhalation	LC ₅₀ /4 h	5.2 mg/l (rat)

Acute Health Effects

Inhalation:

May cause central nervous system depression, dizziness, drowsiness, numbness, headaches, vomiting and narcosis.

Skin: May cause skin irritation, redness and swelling.

Eye: May cause eye irritation.

Ingestion: May be fatal if swallowed and enters airways.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Chronic Health Effects:

Repeated or prolonged skin exposure may cause skin dryness and de-fatting leading to dermatitis.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity: May cause long-term adverse effects in the environment.

according to WHS Regulations

Printing date 07.06.2019 Revision: 07.06.2019

Product Name: 9H-LDC PRO

(Contd. of page 4)

Aquatic toxicity:

CAS: 64742-47-8 Distillates (petroleum), hydrotreated light

LC₅₀/96 h 2.2 mg/l (bluegill)

45 mg/l (fathead minnow)

 $EC_{50}/48 \text{ h} | 1.4 \text{ mg/l} \text{ (daphnia)}$

EC₅₀/72 h 1 mg/l (pseudokirchnerie lla subcapitata)

LC₅₀/96 h 25 mg/l (rainbow trout)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated
Proper Shipping Name Not regulated
Dangerous Goods Class Not regulated
Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 64742-47-8 Distillates (petroleum), hydrotreated light

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 07.06.2019

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4 Aspiration Hazard 1: Aspiration hazard – Category 1

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Printing date 07.06.2019 Revision: 07.06.2019

Product Name: 9H-LDC PRO

(Contd. of page 5)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Always Dry makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.